\$1032

INSERT TOOLING - COPE AND PATTERN SETS

- · Common minor diameters and vertical profile centering eliminate the need to adjust the spindle height or fence position when switching from cope to pattern cuts
- Heads will accept both square and eased edges
- For 3/4" to 7/8" material




- 1/4 x 1/2 tongue and groove standard
- 4-1/2" outside diameter, 3-1/2 minor diameter
- 4" diameter for unique 250/265 available by special order
- 5.5mm x 1/2" tongue available by special order
- 1-1/4" bore

CCW rotation, material fed face down

I-10-535-2





DEDICATED PROFILE INSERT CUTTERS 2 PC. SETS \$916



I-10-010-2

I-10-010-2-E




I -10-055-2

I-10-055-2-E



I-10-060-2

I-10-060-2-E




I-10-500-2

I-10-500-2-E


I-10-535-2-E

For oversized jobs, the IC-10-500-35 can cut up to 1-1/4" material


MULTI PROFILE INSERT CUTTERS 2 PC. SETS \$916




I-10-011-2



I-10-020-2



I-10-030-2




I-10-040-2


Our multi profile head will accept any of these 14 profiles



I-10-011-2-E



I-10-020-2-E



I-10-030-2-E




I-10-040-2-E




I-10-050-2



I-10-070-2




I-10-080-2



I-10-050-2-E



I-10-070-2-E



I-10-080-2-E

Our 2 piece Cope and Pattern insert sets do not offer the adjustability of our 3 piece sets. (page 6-7). As a result, it is critical that your spindle be square to your table. (see page 42 for instructions to check your spindle.) Also, when changing your tips you must clean the heads of any wood residue to allow proper alignment. Failure to do so may result in a loose fit between your Cope and Pattern cuts.

INSERT TOOLING - COPE AND PATTERN SETS


3 Piece insert Cope and Pattern sets to allow easy fit adjustment.

- A two piece cope head with shims allow you to adjust your fit as needed
- Common minor diameters and vertical profile centering eliminate the need to adjust the spindle height or fence position when switching from cope to pattern cuts
- · Heads will accept both square and eased edges
- For 3/4" 7/8" material
- 4-1/2" outside diameter, 3-1/2" minor diameter
- 4" diameter for unique 250/265 available by special order
- 5.5mm x 1/2" tongue available by special order
- 1-1/4" bore
- 1/4 x 1/2 tongue and groove standard
- · CCW rotation, material fed face down



When changing your tips, you must clean the heads of any wood residue to allow proper alignment. Failure to do so may result in a loose fit between your Cope and Pattern cuts.

DEDICATED PROFILE INSERT CUTTERS 3 PC. SETS \$977




I-10-010



I-10-055




I-10-060



I 10-510




I-10-010 E



I-10-055-E



I-10-060-E



I-10-510-E

Weaver Company 800-255-6214


INSERT TOOLING - COPE AND PATTERN SETS


3 Piece insert Cope and Pattern sets to allow easy fit adjustment.


- · A two piece cope head with shims allow you to adjust your fit as needed
- Common minor diameters and vertical profile centering eliminate the need to adjust the spindle height or fence position when switching from cope to pattern cuts
- · Heads will accept both square and eased edges
- For 3/4" to 7/8" material
- 4-1/2" outside diameter, 3-1/2" minor diameter
- 4" diameter for unique 250/265 available by special order
- 5.5mm x 1/2" tongue available by special order
- 1-1/4" bore
- 1/4 x 1/2 tongue and groove standard
- · CCW rotation, material fed face down


When changing your tips, you must clean the heads of any wood residue to allow proper alignment. Failure to do so may result in a loose fit between your Cope and Pattern cuts.


MULTI PROFILE INSERT CUTTERS 3 PC. SETS \$977
































I-10-050

I-10-070

I-10-080







Our multi-profile head will accept any of these 14 profiles

Weaver Company 800-255-6214

INSERT TOOLING - COPE AND PATTERN SETS

For a more pronounced profile, our 1/2" depth of pattern sets are a great choice, with all of the benefits of our other sets. The tip sets of these profiles are not interchangeable with our other 3 piece sets.


3 Piece insert Cope and Pattern sets to allow easy fit adjustment.


- Common minor diameters and vertical Profile
 Centering eliminate the need to adjust the spindle height or fence position when switching from cope to pattern cuts
- · Heads will accept both square and eased edges
- For 3/4" 7/8" material

- 4-1/2" outside diameter, 3-1/2 minor diameter
- 4" diameter for unique 250/265 available by special order
- 5.5mm x 1/2" tongue available by special order
- 1-1/4" bore
- 1/4 x 1/2 tongue and groove standard
- · CCW rotation, material fed face down

When changing your tips, you must clean the heads of any wood residue to allow proper alignment. Failure to do so may result in a loose fit between your Cope and Pattern cuts.

MULTI PROFILE INSERT CUTTERS 3 PIECE - 1/2" DEPTH OF PATTERN \$977



















I-10-211-E


I-10-220-E

I-10-225-E

I-10-231-E









Our multi profile head will accept any of these 14 profiles










I-10-240-E


I-10-245-E

7

RAISED PANEL INSERT CUTTERS (3/4" MATERIAL) \$462



RAISED PANEL INSERT CUTTERS (5/8" MATERIAL) \$462



INSERT BACK & TRIM CUTTERS




DEDICATED DOOR EDGE DETAIL INSERT CUTTERS \$425












I-17-001

I-17-002

I-17-032

I-17-101

I-17-110






I-17-114

• 3 wing


- 1-1/4" bore
- 3-1/2" minor diameter
- 30 mm tips
- · CCW, material fed face up
- These are dedicated profile heads (one profile per head)

REVERSIBLE GLUE JOINT INSERT CUTTER \$549



- · Creates an incredibly strong joint by interlocking the glue surfaces
- 3 wing
- 3-1/2" minor diameter
- 1-1/4" bore
- Cuts from 1/4" to 1-7/8" material
- 50 mm tips
- · CCW, fed as shown

FLOORING SET INSERT CUTTERS 2 PC. SETS \$925



I-19-500

- 3 wing
- 1-1/4" bore
- 3-1/2" minor diameter

I-19-030

- Cuts up to 1" material
- 30 mm tips
- · CCW, material fed face down

· 3 wing

- 1-1/4" bore
- 3-1/2" minor diameter
- 30 mm tips
- Cuts up to 1" material
- · CCW, material fed face down

STRAIGHT CUTTER INSERTS





• 4" Outer Diameter

• 1-1/4" Bore

• 30mm Tip: IC-0300-050

Spur:

IC-0140-060



IC-22-032-SP\$370

• 4" Outer Diameter

• 1-1/4" Bore

• 30mm Tip: IC-0600-050 IC-0140-060

Spur:

Using standard 30mm or 60mm carbide inserts, this is an easy and inexpensive way to perform trim or rabbet cuts.

PLEASE NOTE: spurs are required for all cuts except trimming.

STRAIGHT CUTTER INSERTS



IC-22-ADJ \$462

2 piece expandable groover set using 14 x 14 inserts. Set your cut from 12.5mm - 24mm by using the included spacer or shims.

- 6" outer diameter
- 1-1/4" Bore
- 4 cutting / 4 spur
- Tip: IC-0120-050
- Spur: IC-0140-060

SPIRAL CUTTERS INSERTS WITH SPURS



IS-22-032-SP\$372

- 4" Outer Diameter
- 1-1/4" Bore
- 4 Wing
- 2" Height
- Aluminum Body
- Tip: IC-0150-060
- Spur: IC-0140-060



IS-22-048-SP\$421

- 4" Outer Diameter
- 1-1/4" Bore
- 4 Wing
- 3" Height
- Aluminum Body
- Tip: IC-0150-060
- Spur: IC-0140-060



IS-22-064-SP \$494

- 4" Outer Diameter
- 1-1/4" Bore
- 4 Wing
- 4" Height
- Aluminum Body
- Tip: IC-0150-060
- Spur: IC-0140-060

BRAZED TOOLING

COPE & PATTERN (6 Piece Cutter Sets)

Versatile and easy-to-use. These 6 piece cutter sets are designed to perform the 3 functions shown. Our standard sets cut 1/4" wide x 3/8" deep tongue and groove.

Our common minor diameter requires NO fence adjustment when changing from cope to pattern cuts (3/8" tongue only).

Counterclockwise rotation with wood fed face down.

For optional tongue and groove cutters and eased edge option, see page 13 and 14.



For **opposite rotation**, add 20% to the suggested list price.

To order **custom profiles**, see our Custom Made Tooling page in the back of the catalog. Same day quoting.

Wood samples shown actual size.

For eased edges add 20% to the suggested list price.



See stacking instructions on page 42.

MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore Runs with a 2-3/16" diameter rub bearing (AM-90-035)


PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore Runs with a 3-1/4" diameter rub bearing (AP-90-052)

CCW, material face down

Cope & Pattern


3/4" to 1-1/8" material





MC \$655


PC \$771


PT \$848






















Glass Panel

3/4" to 7/8" material

























Tongue & Groove 3/4" material





















COPE & PATTERN (6 Piece Cutter Sets)

PRODUCT ORDER CODE


M C 00-000

P C 00-000 P T 00-000 **M** - MINI-PRO **P** - PRO-LINE (3/4" Bore) (1-1/4" Bore) (Orange)

C - Carbide Tip (Orange)
T - T-Alloy Tip (Yellow)


C	op	e 8	P	atter	'n
3/4"	to	1-1	/8"	mat	erial






















Glass Panel 3/4" to 7/8" material
























Tongue & Groove 3/4" material
























M C 50-070

P C 10-070 P T 10-070

M C 50-075
P C 10-075
P T 10-075


M C 50-080 P C 10-080 P T 10-080


M C 50-090

P C 10-090

P T 10-090

M C 50-091 P C 10-091 P T 10-091





To order **custom profiles**, see our Custom Made
Tooling page in the back
of the catalog. Same day
quoting.

Wood samples shown actual size.

For eased edges add 20% to the suggested list price.



MC \$655 PC \$771 PT \$848

Cope & Pattern

COPE & PATTERN (6 Piece Cutter Sets)

Glass Panel

MINI-PRO cutters


- 3 wing 2-15/16" diameter
- 3/4" bore Runs with a 2-3/16" diameter rub bearing (AM-90-035)
- · CCW, material face down

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore Runs with a 3-1/4" diameter rub bearing (AP-90-052)

Tongue & Groove

3/4" material




OPTIONAL EASED EDGE SETS

Eased edges are available on all 10 and 50 series cope and patterns. However, you cannot do glass panel or tongue and groove without optional groovers from page 14. Add 20% to the suggested list price.

PLEASE NOTE: Freeborn Tool Co. will be not responsible for bent center groovers due to incorrect stacking. Be sure to read the stacking instructions included with your cutters.



REMEMBER: Always stagger cutters when stacking. Never stack wing-to-wing or you will bend the center groover.



(3/4" Bore)

(Orange)

(Yellow)

(1-1/4" Bore)

P - PRO-LINE

C - Carbide Tip


T - T-Alloy Tip

CENTER GROOVER SETS (2 Piece Cutter Sets)

At time of purchase, you may substitute the following tongue & groove cutters for the standard tongue & groove cutters in your cope & pattern set, at no additional charge. If you choose an optional center groover set other than 3/8" depth, you will be unable to do the tongue & groove option.

Available on all M-50 and P-10 series cope & patterns.

For options other than 3/8" depth, diameters will no longer be the same, requiring fence adjustments between cuts.



MC \$184 PC \$216 PT \$240


Center Groovers Only - Profile cutters not included


PRODUCT ORDER CODE M - MINI-PRO

M C 00-000

P C 00-000

P T 00-000





CENTER GROOVER SETS (4 Piece Cutter Sets)

These 4 piece split groover sets are used in the 10 and 50 series cope and pattern sets to allow you to cut between 3/16" and just under 3/8" with shims.

NOTE: Provides adjustment for spindle alignment issues. Exchange for standard center groovers for an additional fee.





COPE & PATTERN (6 Piece Cutter Sets)

1/2" DEPTH OF PATTERN

MC \$687 PC \$808 PT \$890

Cope & Pattern

MINI-PRO cutters

- 3 wing 3.19" diameter
- 3/4" bore Runs with rub bearing (AM-90-035)
- · CCW, material face down

PRO-LINE cutters

- 3 wing 4.25" diameter
- 1-1/4" bore Runs with a rub bearing (AP-90-052)


Deeper **Profile Sets**

Versatile and easy-to-use. These 6 piece cutter sets are designed to perform the 3 functions shown. Our standard sets cut 1/4" wide by 1/2" deep tongue and groove.


Our common minor diameter requires NO fence adjustment when changing from cope to pattern cuts. (1/2" tongue only)

Counterclockwise rotation with wood fed face down.

3/4" to 1-1/8" material M C 50-211 P C 10-211



P T 10-211







For opposite rotation add 20% to the suggested list price.

Wood samples shown actual size. M C 50-240

For eased edges add 20% to the suggested list price.


See page 13 for eased edge information







See page 16 for Tongue and Groove options




Glass Panel

3/4" to 7/8" material


3/4" to 1-1/8" material



















Tonque & Groove 3/4" material


















CENTER GROOVER SETS (2 Piece Cutter Sets)

For 1/2" DEPTH OF PROFILE SETS

(page 15)

At time of purchase, you may substitute the following tongue & groove cutters for the standard tongue & groove cutters in your cope & pattern

MC \$184 PC \$216 PT \$240 PRODUCT ORDER CODE


M - MINI-PRO
P - PRO-LINE
C - Carbide Tip


M C 00-000 P C 00-000 P T 00-000 **M** - MINI-PRO (3/4" Bore) **P** - PRO-LINE (1-1/4" Bore)

T - T-Alloy Tip


(1-1/4" Bore (Orange) (Yellow)


Center Grovers Only - Profile cutters not included


























SPLIT GROOVER SET


For 1/2" DEPTH OF PROFILE SETS (page 15)

These 4 piece split groover sets are used in the 10 and 50 series cope and pattern sets to allow you to cut between 3/16" and just under 3/8" with shims.

NOTE: Provides adjustment for spindle alignment issues. Exchange for standard center groovers for an additional fee.

1/2" Depth







DOUBLE SIDED COPE & PATTERN (8 Piece Cutter Sets)

MC \$1,190 PC \$1,400 PT \$1,540

Standard sets cut 1/4" x 5/8" or 1/2" x 5/8" deep tongue and groove. Mini-Pro is not to be used on 1/2" spindle.

These 8 piece cutter sets are built to cut both 1-3/8" passage doors and 1-3/4" entry doors simply by changing the center cutters.


A 2 piece glass panel groover set is also available to run with these sets (see page 19).


MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore Runs with a 1-11/16" diameter rub bearing (AM-90-027)


PRO-LINE cutters


- 3 wing 4" diameter
- 1-1/4" bore Runs with a 3-1/4" diameter rub bearing (AP-90-044)

























DOUBLE SIDED COPE & PATTERN (8 Piece Cutter Sets)

PRODUCT ORDER CODE

M C 00-000

P C 00-000

P T 00-000

M - MINI-PRO P - PRO-LINE (3/4" Bore) (1-1/4" Bore)

C - Carbide Tip
T - T-Alloy Tip

(Orange) (Yellow)


Eased edges are available for an additional 20%.


See custom cutter ordering information on inside back cover. Same day quoting.


Standard sets cut 1/4" x 5/8" or 1/2" x 5/8" deep tongue and groove. Mini-Pro is not to be used on 1/2" spindle.


These 8 piece cutter sets are built to cut both 1-3/8" passage doors and 1-3/4" entry doors simply by changing the center cutters.

A 2 piece glass panel groover set is also available to run with these sets (see page 19).















MC \$1,190 PC \$1,400 PT \$1,540









Weaver Company 800-255-6214

DOUBLE SIDED COPE & PATTERN (8 Piece Cutter Sets)

Standard sets cut 1/4" x 5/8" or 1/2" x 5/8" deep tongue and groove. Mini-Pro is not to be used on 1/2" spindle.

These 8 piece cutter sets are built to cut both 1-3/8" passage doors and 1-3/4" entry doors simply by changing the center cutters.


Any of the below groover sets may be exchanged at no charge at the time of purchase.


MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore Runs with a 1-11/16" diameter rub bearing (AM-90-027)

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore Runs with a 2-3/4" diameter rub bearing (AP-90-044)





DOUBLE SIDED COPE & PATTERN GROOVER OPTIONS (2 Piece Groover Sets)


5/8" Deep Center Groover Chart					
1	MINI PRO SET	• PRO-LINE SET			
A /AII ODOON/EDO ONI V	MC-51-904	PC-11-904			
1/4" GROOVERS ONLY		PT-11-904			
O ON O DOON FOR ONLY	MC-51-903	PC-11-903			
3/8" GROOVERS ONLY		PT-11-903			
A JOHN OF CONTROL ONLY	MC-51-905	PC-11-905			
1/2" GROOVERS ONLY		PT-11-905			

			MC \$184 PC \$216
1/2" De	eep Center Groove	r Chart	PT \$240
	MINI PRO SET	 PRO-LINE SET 	
4/4" × 4/0"	MC-51-906	PC-11-906	
1/4" x 1/2"		PT-11-906	
2/0" 4/0"	MC-51-907	PC-11-907	
3/8" x 1/2"		PT-11-907	
1/2" x 1/2"	MC-51-908	PC-11-908	
1/2 X 1/2"		PT-11-908	


DOUBLE SIDED COPE & PATTERN GLASS PANEL OPTIONS (2 Piece Groover Sets)

These Glass Panel sets consist of 2" groovers to allow a total material height of 2-1/2" when run with the profile cutters from your Cope and Pattern set. Any of the Double Sided Cope and Pattern profiles can be made into dedicated Glass Panel sets and are shown on pages 20 and 21.

MC \$262 PC \$308 PT \$339



Profile shapes are for example only. Set consists of 2 groovers only.



Runs with 020, 021, 030, 050, 070, 080, 090 and 500.

GLASS PANEL (4 Piece Sets)

MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore Runs with a 1-11/16" diameter rub bearing (AM-90-027)


PRO-LINE cutters


- 3 wing 4" diameter
- 1-1/4" bore Runs with a 2-3/4" diameter rub bearing (AP-90-044)


Freeborn Tool company now offers 4 piece Glass Panel Sets. Each set comes with 2 profile cutters and 2 glass panel goovers matched to the depth of the profile, either 1/2" or 5/8". In addition, for profiles 065-086 which have a different profile depth, you can choose between either the 1/2" or 5/8 deep glass panel cut.


MC \$639 PC \$752 PT \$861


Glass Panel sets are designed to cut up to 2-1/2" material, utilizing a 2" groover, and the profile cutter





















MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore Runs with a 1-11/16" diameter rub bearing (AM-90-027)


PRO-LINE cutters


- 3 wing 4" diameter
- 1-1/4" bore Runs with a 2-3/4" diameter rub bearing (AP-90-044)


June 2024




















P T 11-070-GP



For profile 065 and 086 let us know at the time of order what depth you would like the glass panel cut to be: either 1/2" or 5/8" deep.

RAISED PANEL SHAPER CUTTERS (3/4" MATERIAL)

Our raised panel cutters are manufactured with 15° SHEAR to produce optimum cuts both with and across the grain.


Counterclockwise rotation with wood fed face up.

MINI-PRO cutters

- 3 wing 4-1/2" diameter
- 3/4" bore Runs with a 1-5/8" diameter rub bearing (AM-90-026)

PRO-LINE cutters

- 3 wing 6" diameter
- 1-1/4" bore Runs with a 3" diameter rub bearing (AP-90-048)



RAISED PANEL SHAPER CUTTERS (3/4" MATERIAL)


MC \$335 PC \$393 PT \$432


MINI-PRO cutters


- 3 wing 4-/12" diameter
- 3/4" bore Runs with a 1-5/8" diameter rub bearing (AM-90-026)

PRO-LINE cutters

- 3 wing 6" diameter
- 1-1/4" bore Runs with a 3" diameter rub bearing (AP-90-048)







RAISED PANEL SHAPER CUTTERS (5/8" MATERIAL)

Use with a back cutter to cut 3/4" material.


MC \$335 PC \$393 PT \$432

MINI-PRO cutters

- 3 wing 4-1/2" diameter
- 3/4" bore Runs with a 1-5/8" diameter rub bearing (AM-90-026)

PRO-LINE cutters

- 3 wing 6" diameter
- 1-1/4" bore Runs with a 3" diameter rub bearing (AP-90-048)



Weaver Company 800-255-6214 June 2024 **MINI-PRO cutters PRO-LINE** cutters RAISED PANEL SHAPER CUTTERS (5/8" MATERIAL) • 3 wing • 6" diameter • 3 wing • 4-1/2" diameter • 3/4" bore • Runs with a 1-5/8" • 1-1/4" bore • Runs with a 3" MC \$335 PC \$393 Use with a back cutter to cut 3/4" material. diameter rub bearing (AM-90-026) diameter rub bearing (AP-90-048) PT \$432 Our raised panel cutters are M C 55-013 M C 55-014 M C 55-015 manufactured P C 15-013 P C 15-014 P C 15-015 with 15° SHEAR P T 15-013 P T 15-014 P T 15-015 to produce optimum cuts both with and across the grain. Counterclockwise M C 55-016 rotation with M C 55-017 M C 55-018 P C 15-016 P C 15-017 P C 15-018 wood fed face up. P T 15-016 P T 15-017 P T 15-018 For opposite rotation, add 20% to the suggested list price. **BACK CUTTERS - RAISED PANEL (3/4" MATERIAL)** MINI-PRO cutters PRO-LINE cutters-Does not • 3 wing • 1-5/8" diameter • 3" diameter include Raised MC \$245 PC \$288 • 3/4" bore • 3/4" bore **Panel Cutter** PT \$317 Use with a 55/15 series raised panel for 3/4" material. M C 56-001 M C 56-002 P C 16-001 P C 16-002 P T 16-001 P T 16-002

RAISED PANEL TONGUE TRIMMER



RAISED PANEL SHAPER CUTTERS (1/2" MATERIAL)

Manufactured with 15° SHEAR to produce optimum cuts both with and across the grain.

Counterclockwise rotation with wood fed face up.

These raised panel cutters cut a 1-3/8" reveal plus a 3/8" long tongue. Reduce production time by adding an opposite rotation cutter, and produce double sided raised panels in a single pass.

Opposite rotation cutters are made to order.

PC \$393 PT \$432

P C 15-101 P T 15-101 6-1/2" diameter 6-1/2" diameter 6-1/2" diameter 6-1/2" diameter P C 15-103 P T 15-103 P T 15-103

• designed to run with a 3" diameter rub bearing (AP-90-048)

RAISED PANEL SHAPER CUTTERS

PC \$472 PT \$520


PRO-LINE cutters

PRO-LINE cutters
• 3 wing • 1-1/4" bore


Available in pro-line only

- 3 wing 1-1/4" bore
- designed to run with a 2-1/4" diameter rub bearing (AP-90-036)
- · Available in pro-line only
- Diameters vary from 7-1/4" to 7-1/2"
- 2-1/2" overall depth of cut
- 1/2" Tenon

3/4" material



5/8" material



Weaver Company 800-255-6214

DOOR EDGE DETAIL SHAPER CUTTERS

M C 57-001

P C 17-001

P T 17-001

M C 57-004

P C 17-004

P T 17-004

M C 57-007

P C 17-007

P T 17-007

All of these wood samples are full scale as shown. Whether it is a 30° back bevel, fingerpull, 3/8" offset, or flush overlay door, we offer a wide selection to choose from.

Counterclockwise rotation with wood fed face up.

To order custom profiles, see our Custom Made Tooling page in the back of the catalog.

For opposite rotation, add 20% to the suggested list price.


Wood samples shown actual size.


MINI-PRO cutters


- 3 wing 2-15/16" diameter
- 3/4" bore 1" wide tips

PRO-LINE cutters


- 3 wing 4" diameter
- 1-1/4" bore 1" wide tips















MC \$277 PC \$326 PT \$360













































Similar to 002 profile but .100 backout

57-029 has 4" diameter 17-029 has 4-1/2" diameter

For this finger pull detail, the wood is cut at a 30° incline.



June 2024

DOOR EDGE DETAIL BEVEL CUTTERS

MINI-PRO cutters


- 3 wing
- 3/4" bore 1" wide tips


PRO-LINE cutters

- 3 wina
- 1-1/4" bore 1" wide tips


For a different angle or a wider bevel cutter than those shown, ask our custom cutter department for a quote (See inside back cover).


MC \$235 PC \$277 PT \$306













DOOR EDGE DETAIL XL BEVEL CUTTERS

PC \$384 PT \$421

PRO-LINE cutters

- 3 wing
- 1-1/4" bore 1-3/4" wide tips





DOOR EDGE DETAILS (32MM HINGE SYSTEM)

MINI-PRO cutters

- 3 wing 2-1/16" minor diameter
- 3/4" bore

PRO-LINE cutters

- 3 wing 3-1/16" minor diameter

Major diameter varies with depth of cut

MC \$277

Part number is for top cutter only.

Manufactured with 15° SHEAR to produce optimum cuts both with and across grain.

Counterclockwise rotation with wood fed face up.


Any top cutter is designed to nest and run with any bottom cutter.



For opposite rotation, add 20% to the suggested list price.

To order custom profiles, see our Custom Made Tooling page in the back of the catalog. Same day quoting.

Wood samples shown actual size.





Bottom cutters for 32mm Hinge Systems are designed to nest and run with any top cutter listed.

Selection of bottom cutter should depend upon the distance of the bored hole for the hinge from the edge of the door.


Manufactured to the same specifications as all top cutters.


Top Cutter Profiles 3/4" to 7/8" material

















M C 57-101


P C 17-101


P T 17-101

M C 57-104

P C 17-104

P T 17-104








M C 57-108


P C 17-108


P T 17-108












MC \$214 **Bottom Cutter Profiles PC \$253** PT \$277





* Will not run with 32mm hinge system


M C 57-114


P C 17-114

P T 17-114









* Will not run with 32mm hinge system

DOOR EDGE DETAILS (32MM HINGE SYSTEM)

PRODUCT ORDER CODE

M C 00-000

M - MINI-PRO

(3/4" Bore)

P - PRO-LINE (
C - Carbide Tip (


(1-1/4" Bore) (Orange)


P C 00-000 P T 00-000

T - T-Alloy Tip (Yellow)

MC \$277 PC \$326 PT \$360

Top Cutter Profiles 7/8" to 1" material





To order custom profiles, see our Custom Made Tooling page in the back of the catalog.
Same day quoting.

Wood samples shown actual size.



P T 17-065

material

material as shown

P T 17-060

Weaver Company 800-255-6214

REVERSIBLE GLUE JOINT


Creates an incredibly strong joint by interlocking the glue surfaces.

MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore 1" wide tips Cuts from 1/2" to 7/8" material

PRO-LINE cutters


- 3 wing 2-15/16" diameter
- 1-1/4" bore 2" wide tips
- Cuts from 1/2" to 1-7/8" material



WEDGE TONGUE & GROOVE


10 Piece Set

(4 Cutters and 6 Spacers)



• 3 wing For up to 1" material

2 Piece Set




• 3 wing For up to 1" material


EDGE BANDING

V – GROOVE DETAIL CUTTER

3 Piece Set

- 1 piece solid cutters for female cut
- 2 pieces split for male cut





V-PANELING SHAPER CUTTER SET

The V-Paneling set consists of 5 cutters and 1 spacer to perform these 4 functions.

Counterclockwise rotation with wood fed face down.

These sets do not share a common minor diameter.

MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore designed to run with 2-3/16" diameter rub bearing
- PRO-LINE cutters
- 3 wing 4" diameter
- 1-1/4" bore designed to run with
- 3-1/4" diameter rub bearing

To order **custom profiles**, see our Custom Made Tooling page in the back of the catalog. Same day quoting. Wood samples shown actual size.


See stacking instructions on page 42.


Optional Rub-Spacers & Groovers for Cope Side


66	92	1
	16 97	
C	100	




3/4" to 1" material









NEW	MINI-PRO SET		PRO-LINE SET	
NEW	RUB SPACER	GROOVER	RUB SPACER	GROOVER
Le	444 50 000		AM-10-809	PC-19-011
SINGLE-V	AM-50-809		AWI-10-609	PT-19-011
DOUBLE V	AM-50-809		AM-10-809	PC-19-011
DOUBLE-V				PT-19-011
	AM-50-801	MC-59-012	AM-10-801	PC-19-012
DOUBLE COPE & PATTERN			AW-10-001	PT-19-012
ANIOLE CORE & RATTERN		MC-59-012	411 40 004	PC-19-012
SINGLE COPE & PATTERN	AM-50-801		AM-10-801	PT-19-012

MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore

7-PC. FLOORING SET


The flooring set consists of 6 cutters and 1 spacer to perform these 5 functions.


Cut provides a loose fit (.030) for wood expansion. Set up instructions included.

Counterclockwise rotation with wood fed face down.

See stacking instructions on page 42.

3/4" to 1" material








\$692 \$816 \$897







5-PC. FLOORING SET WITH NAIL SLOT

MINI-PRO cutters


- 3 wing 2-15/16" diameter
- 3/4" bore

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore

This set includes 5 cutters to perform the cut as shown.

Counterclockwise rotation with wood fed face down.
Up to 1" material.



8-PC. FLOORING / V-PANEL SETPC \$816 PT \$897

MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore
- PRO-LINE cutters3 wing 4" diameter
- 5 Willig 4 diam
- 1-1/4" bore

This set includes 8 cutters to perform the two cuts as shown.
Runs CCW, face down.

Cut provides a 0.010" loose fit to allow for wood expansion.







V PANEL SET FOR 2" MATERIAL

PRODUCT ORDER CODE M - MINI-PRO

M C 00-000 P C 00-000


P T 00-000


M - MINI-PRO
P - PRO-LINE
C - Carbide Tip

T - T-Alloy Tip

(3/4" Bore) (1-1/4" Bore)


(Orange) (Yellow)





0.030 GAP for P-19-070 exchange for P-19-075 at time of purchase

The P-19-075 Groover may be exchanged at time of purchase for no charge



MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore

QUARTER COVE CONVEX CUTTERS


	PART#		RADIUS
MC-60-002 ^{\$108}	PC-20-002 _{\$128}	PT-20-002 _{\$154}	1/8"
MC-60-004 \$132	PC-20-004\$155	PT-20-004 \$171	1/4"
MC-60-006 _{\$155}	PC-20-006 _{\$184}	PT-20-006 _{\$203}	3/8"
MC-60-008 \$174	PC-20-008 _{\$205}	PT-20-008 \$225	1/2"
MC-60-012 _{\$216}	PC-20-012 _{\$254}	PT-20-008 _{\$280}	3/4"
	PC-20-016 _{\$307}	PT-20-016 _{\$340}	1"




REVERSIBLE PATTERN DETAIL

MC \$232 PC \$272 PT \$299

Counterclockwise rotation with wood fed face up.






MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore 1" wide tips

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore 1" wide tips



After machining two pieces of wood, one piece may be inverted and plugged into its mate, forming a matched joint.



STRAIGHT TOP GROOVERS


MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore designed for use with 2-15/16" diameter rub bearing for flush trim application

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore designed for use with 4" diameter rub bearing for flush trim application

	PART #		WIDTH
MC-62-002\$92	PC-22-002 \$108	PT-22-002 \$120	1/8"
MC-62-003 _{\$92}	PC-22-003 \$108	PT-22-003 _{\$120}	3/16"
MC-62-004\$92	PC-22-004 \$108	PT-22-004 \$120	1/4"
MC-62-005 _{\$92}	PC-22-005 \$108	PT-22-005 _{\$120}	5/16"
MC-62-006 \$92	PC-22-006 _{\$108}	PT-22-006 _{\$120}	3/8"
MC-62-007 _{\$96}	PC-22-007 \$113	PT-22-007 _{\$126}	7/16"
MC-62-008 _{\$102}	PC-22-008 _{\$121}	PT-22-008 _{\$132}	1/2"
MC-62-010 _{\$106}	PC-22-010 \$124	PT-22-010 _{\$138}	5/8"
MC-62-012 _{\$111}	PC-22-012 _{\$129}	PT-22-012 _{\$143}	3/4"
MC-62-014 _{\$116}	PC-22-014 \$137	PT-22-014 _{\$143}	7/8"
MC-62-016 _{\$120}	PC-22-016 _{\$140}	PT-22-016 _{\$155}	1"
MC-62-020 _{\$129}	PC-22-020 \$153	PT-22-020 _{\$168}	1-1/4"
MC-62-024 _{\$143}	PC-22-024 _{\$169}	PT-22-024 _{\$185}	1-1/2"
MC-62-028 _{\$160}	PC-22-028\$188	PT-22-028\$208	1-3/4"
MC-62-032 ^{\$174}	PC-22-032 ^{\$205}	PT-22-032 ^{\$225}	2"



Straight Top Groovers are ideal for cutting grooves, rabbets, and for flush trimming.



STRAIGHT TOP GROOVERS

	PART #	DIAMETER	WINGS	KERF
\$256	GC-0406250	4"	6	1/4"
\$263	GC-0406375	4"	6	3/8"
\$275	GC-0406500	4"	6	1/2"
\$305	GC-0406750	4"	6	3/4"
\$299	GC-0608250	6"	8	1/4"
\$310	GC-0608375	6"	8	3/8"
\$321	GC-0608.500	6"	8	1/2"
\$358	GC-0608750	6"	8	3/4"
\$336	GC-0812250	8"	12	1/4"
\$347	GC-0812375	8"	12	3/8"
\$361	GC-0812500	8"	12	1/2"
\$403	GC-0812750	8"	12	3/4"

PRO-LINE cutters

- 6-12 wing
- 1-1/4" bore only
- 4-8" diameter per chart



HALF ROUND CONVEX SHAPER CUTTERS

MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore

MIDTH DADING

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore

PART #			WIDTH	RADIUS
MC-63-002	PC-23-002 \$116	PT-23-002 \$127	1/4"	1/8"
MC-63-003 \$106		PT-23-003 \$137	3/8"	3/16"
MC-63-004 \$120		PT-23-004 \$154		1/4"
MC-63-006 \$132				3/8"
MC-63-008	PC-23-008	PT-23-008	1"	1/2"





Flute

HALF ROUND CONCAVE SHAPER CUTTERS


PART #			WIDTH	RADIUS
MC-64-002	PC-24-002 \$140	PT-24-002 \$154	1/4"	1/8"
MC-64-003 \$128	PC-24-003 \$152	PT-24-003 \$166	3/8"	3/16"
MC-64-004 \$138	PC-24-004 \$161	PT-24-004 \$177	1/2"	1/4"
MC-64-006 \$255	PC-24-006 \$301	PT-24-006 \$330	3/4"	3/8"
MC-64-008 \$320	PC-24-008 \$377	PT-24-008 \$415	1"	1/2"
MC-64-009 \$334	PC-24-009 \$393	PT-24-009 \$432	1-1/8"	9/16"
MC-64-010 \$360	PC-24-010 \$424	PT-24-010 \$466	1-1/4"	5/8"
	PC-24-012 \$500	PT-24-012 \$551	1-1/2"	3/4"

MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore



Bullnose

All Concave Cutters have .030" flare for easy bull nosing.



MATCHED DROP LEAF

MINI-PRO cutters


- 3 wing 2-15/16" diameter
- 3/4" bore

PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore


Counterclockwise rotation with wood face down. When running counterclockwise, cove cut is made by lowering shaper spindle to cut with the top half of the cutter. Bead cut is made by raising shaper spindle to cut with the bottom half of the cutter.






MC \$639 PC \$753 PT \$828

WINDOW SASH CUTTER SET (4 PIECE CUTTER SET) • 3 wing



These window sash profiles are common in many older homes. They are made to cut stock up to 1-3/4".

Counterclockwise rotation with wood fed face down.



PRO-LINE cutters

• 3 wing • 1-1/4" bore

WINDOW SASH CUTTER SET FOR MORTISE AND TENON (5 PIECE SET)


PRO-LINE cutters

- 3 wing
- 1-1/4" bore only

This Window set is designed to allow a variable tenon length of up to 2-1/2" (4 Cutters, 1 Spacer per set)


PC \$989 PT \$1087






MINI-PRO cutters

• 3/4" bore



ONE PIECE DOUBLE TONGUE & GROOVE LOCK MITRE CUTTER



Counterclockwise rotation only. Mini-Pro is made to run only on 3/4" spindle.


Part B is run flat in horizontal position on shaper table.

Part A is run in a vertical position against the shaper fence (see diagram). See page 28.


3/4" to 1-1/2" material


PRO-LINE cutters

- 1-1/4" bore 6" diameter
- 3 wing 1-3/4" wide tips




TWO PIECE DOUBLE TONGUE & GROOVE LOCK MITRE SETS





PRO-LINE cutters

- 3 wing
- 1-1/4" bore
- 5.19" diameter
- 1-1/4" wide tips



3/4" material

MINI-PRO cutters

- 3 wing 3/4" bore
- 2-15/16" diameter
- 1" wide tips

PRO-LINE cutters


- 3 wing 4" diameter
- 1-1/4" bore
- 1" wide tips

SINGLE TONGUE & GROOVE LOCK MITRE CUTTER (3 PIECE CUTTER SET)

Counterclockwise rotation only. Mini-Pro is made to run only on 3/4" spindle.

Material to 1-1/8".

Part A and B are both run flat in horizontal position on shaper table. Part B is run again on table saw to cut groove (see diagram).



MINI-PRO cutters

- 3 wing 4-5/16" diameter
- 3/4" bore Use on 3/4" Spindles only

PRO-LINE cutters

- 3 wing 5-3/8" diameter
- 1-1/4" bore





Weaver Company 800-255-6214

DRAWER LOCK CUTTER

Run drawer front face up in horizontal position over the top of the cutter. Drawer sides are run on end in a vertical position against the shaper fence.

MC \$237 PC \$266 PT \$293


MINI-PRO cutters

- 3 wing 2-5/16" diameter
- 3/4" bore


PRO-LINE cutters

- 3 wing 5" diameter
- 1-1/4" bore


Counterclockwise rotation only.



3/4" material



1/2" material



1-PIECE DOUBLE EASING CUTTERS

NUMBER		WIDTH	RADIUS	
MC-71-006 ₁₂₀	PC-31-006	₁₅₄ PT-31-006	3/8"	1/8"
MC-71-008 ₁₂₈	PC-31-008 ¹⁵²	\$16 6 T-31-008	1/2"	1/8"
MC-71-012 _{\$154}		PT-31-012 ₂₀₀	3/4"	1/8"
MC-71-016 ₁₆₄	PC-31-016 ₁₉₂	PT-31-01 ₆₂₁₂	1"	1/8"
MC-71-020 _{\$186}	PC-31-02 ⁶²¹⁹	PT-31-02 ₉₂₄₀	1-1/4"	1/8"
MC-71-024 _{\$200}	PC-31-02 ^{\$234}	_{\$25} PT-31-024	1-1/2"	1/8"

MINI-PRO cutters

MINI-PRO cutters

• 3/4" bore

• 3 wing • 2-5/16" diameter

- 3 wing 2-15/16" diameter
- 3/4" bore


PRO-LINE cutters

- 3 wing 5" diameter
- 1-1/4" bore

PRO-LINE cutters

• 1-1/4" bore

• 3 wing • 4" diameter or see below



Custom rub bearings available for these cutters.

CORNER ROUNDING SHAPER CUTTERS

Larger PRO-LINE Cutters exceed the standard 4" diameter (see chart)

Count with w

R = CCW, wood face up



eter (see chart).	
terclockwise rotation wood fed face down.	



NUMBER	`		RADIUS	3/4" Bore DIAMETER	1-1/4" Bore DIAMETER
MC-65-002 _{\$111}	PC-25-002 ₁₃₁	PT-25-00 ² 144	1/8"	2-15/16"	4"
MC-65-002R111	13PC-25-002R	₅₁₄ PT-25-002R	1/8"	2-15/16"	4"
MC-65-003\$124	PC-25-00\$147	PT-25-003	3/16"	2-15/16"	4"
MC-65-004 ^{\$132}	PC-25-004 155	PT-25-004 PT-25-004	1/4"	2-15/16"	4"
MC-65-004R ₃₂	_{\$15} C-25-004R	PT-25-004R	1/4"	2-15/16"	4"
MC-65-005 _{\$142}			5/16"	2-15/16"	4"
MC-65-006\$164	PC-25-006 ^{\$192}	PT-25-00 ₆₂₁₂	3/8"	2-15/16"	4"
MC-65-006R	PC-25-006R	212T-25-006R	3/8"	2-15/16"	4"
MC-65-008 ^{\$203}	PC-25-008 ₂₃₉	PT-25-00 _{\$262}	1/2"	2-15/16"	4"
MC-65-008R ₂₀₃	₂₃ PC-25-008R	PT-25-008R ₂₀	2 1/2"	2-15/16"	4"
MC-65-010 ^{\$216}	PC-25-010 ₂₅₄	PT-25-01 ₂₈₀	5/8"	2-15/16"	4"
MC-65-012\$229	PC-25-012 ₃₂₇₀		3/4"	2-15/16"	4"
	PC-25-014282	PT-25-01\$ 310	7/8"	n/a	4-1/2"
	PC-25-016 ²⁹⁷	PT-25-01 _{\$326}	1"	n/a	4-1/2"
	PC-25-020 ³¹⁸		1-1/4"	n/a	5"
	PC-25-024 ³⁷⁵		1-1/2"	n/a	5-1/2"
	PC-25-028488	PT-25-028 ⁵³⁷	1-3/4"	n/a	6-1/2"
	PC-25-032 488	PT-25-032 ₅₃₇	2"	n/a	6-1/2"


4-PIECE EXPANDABLE DOUBLE EASING SET

MINI-PRO cutters

- 3 wing 2-3/16" minor diameter
- 3/4" bore

PRO-LINE cutters

- 3 wing 3" minor diameter
- 1-1/4" bore



Each set includes 2 cutters and 2 spacers to cut 3/4", 1", 1-1/4" and 1-1/2" material.


EXTENDED CORNER ROUNDS


MINI-PRO cutters


- 3 wing 2-15/16" diameter
- 3/4" bore


PRO-LINE cutters

- 3 wing 4" diameter
- 1-1/4" bore









CORNER ROUNDING / COVE COMBO


MINI-PRO cutters

- 3 wing 2-15/16" diameter
- 3/4" bore

PRO-LINE cutters


- · 3 wing · 4 diameter
- 1-1/4" bore
































CORNER ROUNDING COMBO





MINI-PRO cutters

- 3 wing
- 3/4" bore

PRO-LINE cutters

- · 3 wing
- 1-1/4" bore



M C 75-048


P C 35-048

P T 35-048

\$276 \$325

\$358











TABLE SAW BEAD CUTTERS

- · 6 wing
- 5/8" bore
- 8" diameter







\$446